

6m2

Occlusal Restoration after Orthopedic Jaw Repositioning

By Ross H. Tallents, D.D.S., Edward Sommers, D.M.D.,
Christopher Roberts, D.D.S., Donald J. Macher, D.M.D.,
Richard W. Katzberg, M.D., James Manzione, D.M.D., M.D.

The initiation of treatment with an anterior repositioning splint for patients with disk displacement with reduction sometimes requires prosthodontic and/or orthodontic care. Often, the anterior teeth are the only teeth in contact with no contact of the posterior teeth. This is an unstable occlusal relationship and should be stabilized with uniform contacts in centric relation/centric occlusion and the development of optimal anterior guidance. This paper will describe the prosthodontic management of the posterior open bite.

Clinical Phase

This patient (Figure 1) presented with bilateral early to midopening clicks. A splint was constructed according to arthrographic findings described in a previous paper.¹ The anterior repositioning splint was worn for six months; at that time a lower removable partial denture was to be constructed to manage the posterior open bite. (Figure 2) The first consideration is making jaw relation records. Most patients reprogram to the new anterior position, and records can be made as described by Dawson.² The jaw is manipulated bilaterally, and a fast setting registration material such as Ramitec* is placed between the posterior teeth (Figure 3) to record the new protrusive jaw position.

Two lower final impressions are taken for construction of a metal framework (Figure 4). One is poured in refractory material for direct casting and the second poured in die stone for seating of the metal framework.

* Ramitec—Premier Dental Products Company, Norristown, Pennsylvania 19401

Laboratory Phase

The maxillary cast is mounted with a face bow transfer (Figure 5). The lower refractory cast is




Figure 1
Protrusive portion of the mandible after splint therapy.



Figure 2
Note posterior open bite.

mounted with the jaw relationship records (Figure 6), and the die stone cast is also mounted from the same record (Figure 7). Waxing is now accomplished in the usual fashion producing uniform contacts in

centric occlusion, no working or balancing contacts with anterior disocclusion (Figure 8). Casting is carried out in the usual manner, fit to the die stone cast, and the occlusion is adjusted. (Figure 9).



Figure 3
Jaw registration records with Ramitec to record protrusive position.



Figure 6
Refractory cast mounted.




Figure 4
Two lower Impregum impressions to be poured in die stone and refractory investment.



Figure 7
Die stone cast mounted.




Figure 5
Maxillary cast mounted with face bow registration.



Figure 8
Over partial waxed for direct casting on refractory cast.




Figure 9

A. Right lateral view with casting in place. B. Left lateral view with casting in place. C. Right view of casting on die stone cast. D. Left view of casting with die stone cast.

Clinical Phase

Areas of impingement are checked with disclosing wax and final occlusal adjustment is completed.

Conclusions

A method of closing a posterior open bite for patients treated with anterior repositioning splints for disk displacement with reduction or surgical correction of a displaced disk has been described. This procedure affords several advantages over a fixed partial denture: (1) extensive tooth preparation is not needed, (2) the necessary occlusal adjustments are

easier than construction of a fixed partial denture, and (3) the need for long-term studies should dictate the use of conservative restoration procedures such as removable partial dentures.

Reprint requests to:
Richard W. Katzberg, M.D.
Department of Diagnostic Radiology
University of Rochester
Rochester, New York 14620

References

1. Manzione, J.V., Tallents, R.H., Katzberg, R.W., et al.: Arthrographically assisted appliance therapy for capturing the TMJ meniscus. *Oral Surg* 1984; 57: 235-240.
2. Dawson, P. E., *Evaluation, Diagnosis, and Treatment of Occlusal Problems*. St. Louis: The C.V. Mosby Co., 1974, pp 54-61.

Dr. Ross Tallents, D.D.S.

Dr. Tallents has a private practice and is a member of the Facial Pain Clinic at the Eastman Dental Center, Department of Orthodontics.

Dr. Christopher Roberts, D.D.S.

Dr. Roberts is a resident in the Department of Orthodontics at Eastman Dental Center.

Dr. Richard Katzberg, M.D.

Dr. Katzberg is associate professor of Radiology at the University of Rochester and is also clinical and research associate of the Department of Orthodontics at Eastman Dental Center.

Dr. James V. Manzione, D.M.D., M.D.

Dr. Manzione is assistant professor of radiology at the University of Rochester and is also Clinical and Research Associate at the Eastman Dental Center.

Dr. Edward Sommers, D.M.D.

Dr. Sommers is a clinical instructor in the Eastman Dental Center Department of Orthodontics and a member of the Facial Pain Clinic. He also maintains a private practice in orthodontics.

Dr. Donald Macher, D.M.D.

Dr. Macher was the chairman of dentistry at St. Mary's Hospital in Rochester and maintains a private practice in oral surgery.

Gies Foundation Seeks Donations

The William J. Gies Foundation for the Advancement of Dentistry has launched a campaign to double its endowment for the funding of several new programs. The foundation currently funds awards for work in the fields of editing, oral surgery, periodontology, and Latin American Dental Research, supports a yearly Dental Teacher Training Fellowship, and provides grants and support for various universities and the *Journal of Dental Research*.

Gies (1872-1956), a Columbia University biochemist, was responsible for reorganizing dental education under the aegis of universities. He was founder and editor of the *Journal of Dental Research*, founder of the International Association of Dental Research, organizer of the American Association of Dental Editors, the *Journal of the American College of Dentists*, and the Dental Section of the American

Association for the Advancement of Science.

The Board of Directors of the Gies Foundation has a campaign goal of \$300,000, which will allow the foundation to establish a variety of new programs, including a dental research fellowship, a rotating lecture program on dental ethics, and programs to encourage the authorship and publication of historical and current biographies of dentists who have made contributions to arts, sports, literature, public service, and other nondental fields, as well as a biography of Gies himself.

Pledges may be paid in installments over the next three years, and contributions of \$500 or more will be publicly recognized.

For more information, write the foundation at Suite 352N, 7315 Wisconsin Avenue, Bethesda, Maryland 20814 or call (301) 986-0555.